




Composite Sorter Upgrade Specifications



Globe Composite Solutions, Ltd.

254 Beech Street
Rockland, MA 02370-0183
781-871-3700
781-871-6631 (fax)
www.globecomposite.com

Table 3-1
Carriage Assembly Characteristics

SPECIFICATIONS / CHARACTERISTICS	DESCRIPTION
Carriage Assembly (fully assembled) Outside Dimensions: Height Width Length Weight	(Not including Tray or Mail Catchers) 12-1/2 inches 10-1/2 inches 20 inches 21.25 pounds

Table 4-1
Tip up Assembly Characteristics

SPECIFICATIONS / CHARACTERISTICS	DESCRIPTION
Tip up Assembly Outside Dimensions: Height: Extended Retracted Width Depth Tip up Assembly Mount Outside Dimensions: Height Width Depth	(Not including air cylinder, clevis, fitting) 14-1/2 inches 11-1/2 inches 3 inches 6-1/2 inches (When retracted) 9 inches 3-1/2 inches 4-1/2 inches

Table 5-1
Chain Assembly Characteristics

SPECIFICATIONS / CHARACTERISTICS	DESCRIPTION
Chain Assembly (P/N 01-11-5522) Outside Dimensions: Height Length Width (Over Wheel) Wheel Diameter Weight	 4-1/4 inches 18ft 3 inches 3 inches 63 pounds per 18ft length (3.5 pounds/ft)

Table 6-1
Track Assembly Characteristics

SPECIFICATIONS / CHARACTERICS	DESCRIPTION
Track Assembly Straight Sections P/N 01-11-0110 Outside Dimensions: Lengths Height Width Weight Curve Sections (inside radius) P/N 01-11-0120 Outside Dimensions: Height Width Weight Arc Radius Curve Sections (outside radius)	 12 ft 9 inches 6 Inches 5 pounds per linear foot 9 inches 6 inches 5 pounds per linear foot 22.5 degrees 10 ft measured to CL of carriage travel

<p>P/N 01-11-0130</p> <p>Outside Dimensions:</p> <p>Height</p> <p>Width</p> <p>Weight</p> <p>Arc</p> <p>Radius</p> <p>Access Door Sections</p> <p>2 standard configurations</p> <p>P/N 01-11-0140</p> <p>P/N 01-11-0141</p> <p>Outside Dimensions:</p> <p>Height</p> <p>Width</p> <p>Weight</p> <p>Expansion Joint</p> <p>P/N 01-11-5491</p> <p>Height</p> <p>Width</p> <p>Weight</p>	<p>9 inches</p> <p>6 inches</p> <p>5 pounds per linear foot</p> <p>22.5 degrees</p> <p>10 ft measured to CL of carriage travel</p> <p>4ft Door (Set in 6 ft track length)</p> <p>6ft Door (Set in 8 ft track length)</p> <p>9 inches</p> <p>6 inches</p> <p>6 pounds per linear foot</p> <p>4 Feet Long</p> <p>9 inches</p> <p>6 inches</p> <p>6 pounds per linear ft</p>
---	--